

Technical Brochure



Rialto

Classic Luminaires

Risalto 2000

PC

Risalto 2000 PC

SPECIFICATIONS

PC lens

Proportional zoom: 5° - 65°

Color frame

PHYSICAL SIZE

Length: 527 mm (20.0 in)

Width: 332 mm (13.0 in)

Height: 260 mm (20.2 in)

Height, with bracket: 469 mm (18.0 in)

Weight: 12.7 Kg (16.3 lbs)

LIGHT SOURCE

Type: halogen lamp 2000 W, 230/240 V





Socket: GY 16

ACCESSORIES

4-leaf barndoor (#4203)


Lamp 2000 W, 230 V (#105020)





progressive min zoom - zoom minimo progressivo


distanza distance (mt)	5	10	15	20	25	30	35	40	45	50	Resa luminosa (lux) Light output (lux)
zoom min.	10692	2673	1118	668	428	297	218	167	132	107	



1/2 PEAK ANGLE 5°
1/10 PEAK ANGLE 8°

progressive max zoom - zoom massimo progressivo

distanza distance (mt)	5	10	15	20	25	30	35	40	45	50	Resa luminosa (lux) Light output (lux)
zoom max.	828	207	92	52	33	23	17	13	10	8	



1/2 PEAK ANGLE 57°
1/10 PEAK ANGLE 65°



Coemar Lighting S.r.l.

Via Carpenedolo, 90
46043 Castiglione delle Stiviere
Mantova - Italy
ph. +39 0376 1514412
fax +39 0376 1514380

www.coemar.com
info@coemar.com