

# Technical Brochure



**Rialto**

# Classic Luminaires

# Risalto 650/1000

## Fresnel

### Risalto 650/1000 Fresnel

#### SPECIFICATIONS

Fresnel lens

Proportional zoom: 10° - 53°

Color frame

#### PHYSICAL SIZE

Length: 394 mm (15.5 in.)

Width: 281 mm (11.0 in)

Height: 220 mm (8.7 in)

Height, with bracket: 358 mm (14.0 in)

Weight: 6.8 Kg (15.0 lbs)

#### LIGHT SOURCE

Type: halogen lamp 650/1000 W, 230/240 V



Socket: GX 9.5

#### ACCESSORIES

4-leaf barndoor (#4202)




Risalto 650/1000 Fresnel - Drawing Size



# Risalto 650/1000 Fresnel - Photometrics Data

## progressive min zoom - zoom minimo progressivo


distanza distance (mt)	5	10	15	20	25	30	35	40	45	50	Resa luminosa (lux) Light output (lux)
<b>zoom min.</b>	3960	990	440	248	158	110	81	62	49	40	



**1/2 PEAK ANGLE** 9°  
**1/10 PEAK ANGLE** 18°

## progressive max zoom - zoom massimo progressivo

distanza distance (mt)	5	10	15	20	25	30	35	40	45	50	Resa luminosa (lux) Light output (lux)
<b>zoom max.</b>	634	158	70	40	25	18	13	10	8	6	



**1/2 PEAK ANGLE** 40°  
**1/10 PEAK ANGLE** 53°



**Coemar Lighting S.r.l.**

Via Carpenedolo, 90

46043 Castiglione delle Stiviere

Mantova - Italy

ph. +39 0376 1514412

fax +39 0376 1514380

[www.coemar.com](http://www.coemar.com)

[info@coemar.com](mailto:info@coemar.com)