

iWash Halo

9114



SPECIFICATIONS

- CMY color mixing
- 6 colors + open
- Proportional CTB filter
- Beamshaper 180°
- Narrow angle lens (10°), Par effect
- Proportional zoom 10° - 46°
- Electronic dimmer
- Mechanical strobe, synchronized, random, pulse effect
- Pan 538°, Tilt 252°, 16 bit

PHYSICAL SIZE

- Length: 380 mm (15.0 in)
- Width: 495 mm (19.5 in)
- Height: 635 mm (25.0 in), head straight up
- Weight: 25 kg (55.1 lbs)

LAMP AND BALLAST

- Type: Philips TXO
- Color temperature: 3200 Kelvin

- Average lamp life: 300 hours
- Socket: GX 9.5
- Electronic Transformer with Power Factor Correction

CONTROL PROTOCOL AND PROGRAMMING

- USITT DMX512/1990
- Artnet
- DMX channels: 16
- Setting and addressing: led display or remotely

ELECTRICAL SPECIFICATIONS/CONNECTIONS

- AC power: 200-208/230/240V, 50/60 Hz, 2m (6.6 ft) integral cable without power plug
- Power consumption: 4 A at 230 V
- DMX data in/out: 3 pin and 5 pin locking XLR
- Ethernet RJ45 port

ACCESSORIES

- Maxi diffuser lens Kit (#KIT96)

KEY FEATURES

- **Special Long Lasting 750W tungsten lamp**
- **Silent operation for the quietest applications**
- **Wide zoom range 10°- 46° + optional wide cyc optics (max beam angle 60°)**
- **Fully equipped moving light, color temperature designed to easily work with conventional fixtures and discharge moving lights**
- **Proportional CTB for color temp matching**
- **Warm CMY color mixing**

