


progressive min zoom - zoom minimo progressivo


| distanza distance (mt) | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | Resa luminosa (lux) Light output (lux) |
|---------------------------|-------|------|------|-----|-----|-----|-----|-----|-----|-----|---|
| zoom min. | 10692 | 2673 | 1118 | 668 | 428 | 297 | 218 | 167 | 132 | 107 | |



1/2 PEAK ANGLE 5°
1/10 PEAK ANGLE 8°

progressive max zoom - zoom massimo progressivo

| distanza distance (mt) | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 | Resa luminosa (lux) Light output (lux) |
|---------------------------|-----|-----|----|----|----|----|----|----|----|----|---|
| zoom max. | 828 | 207 | 92 | 52 | 33 | 23 | 17 | 13 | 10 | 8 | |



1/2 PEAK ANGLE 57°
1/10 PEAK ANGLE 65°



coemar
via Inghilterra 2/A - 46042 Castel Goffredo (Mantova) Italy
ph. +39 0376 77521 - fax +39 0376 780657
info@coemar.com

Duplication of this drawing, either full or in part, is strictly prohibited without prior written authorization from coemar.
Questo disegno non può essere copiato, riprodotto, mostrato a terzi senza nostra autorizzazione

Prodotto/Product:
Risalto 2000 PC

Lampada/Lamp: Philips (CP 72) 2000W 230 V.

Date : 19/09/07

Ver. N° 1.0